


**OUR
STRONGEST
LIGHTEST
FULL BODY HARNESS**



**RELIANCE
IRONMAN™ LITE
FULL BODY HARNESS**





■ Reliance Ironman™ Lite

With NEW Backing Guide & SRL Attachment Point

Ironman™ Lite is a new grade of harness designed for the power-user, combining premium features with the classic utility of Reliance Full Body Harnesses. The Anodized aluminum alloy hardware provides the strength of steel without the weight and the new wide-spread back guide provides a better fit around the neck and shoulders, ensuring greater comfort and increased compliance and productivity.

Ironman™ Lite is constructed using superior materials without embellishment in an effort to give you what you need to get the job done safely, on-time, and on budget!



■ Built for Lightweight comfort

- Quick-Adjust™ torso buckles & Quick-Connect chest buckle
- “Floating” angled thigh stitching and front-of-the-thigh buckle placement for a “tailored” sub-pelvic fit
- Extra large back pad eliminates dangerous ‘D-ring droop’
- **NEW** wide-spread back guide gives a wider opening for the head and neck for a more natural fit around your head and shoulders

■ Easy to use, Easy to Inspect

- **NEW** back guide lifts the D-ring and webbing with a dedicated SRL loop for easy attachment
- TattleTale® Webbing uses internal contrasting black “strength” yarns to instantly reveal cuts or abrasions
- Built-in impact load indicators
- Bar-coded individual serial numbers for traceability

■ Built strong for added safety

- Webbing rated for 7000 lbs (31kN) with no elastic webbing
- Extra heavy-duty corrosion and abrasion resistant leg grommets
- Extra thick woven (not sewn) seat webbing
- Premium anodized aluminum alloy hardware for high strength and reduced weight
- Heat-set labels that won’t come off

Build & Components



NEW WEBBING, D-RING, & SRL GUIDE

- **New wide-spread back guide** allows for more space around the head and neck for a more comfortable fit and weight distribution around the shoulders.
- **New SRL attachment point** under the webbing and d-ring allows you to easily attach an SRL without the hassle of webbing adjustment or loosening.
- **New Black Adonized Rings** are stylish, clean, and super abrasion resistant, built tough to match the higher standards Reliance is known for.



Ironman™ Lite Features & Options




Stand-Up Adonized Aluminum Dorsal D-Ring



Adonized Aluminum Positioning D-Rings (802000)



Adonized Aluminum Positioning D-Rings (812000)



Dual Lanyard Keepers




Slim Profile Quick Connect Chest Buckle



Adonized Aluminum Torso Adjusters



Silver Aluminum Grommets



Anodized Aluminum Tongue Buckles



Integrated Back Belt (812000)



Back Belt Position Adjusters



Reliance Ironman™ Lite Series

Designed for Hard Work: 10% - 30% Lighter

Ironman™ Lite 800000-A

- Vest Style
- Polyester Webbing
- Tongue Buckle Leg Straps
- Single Dorsal D-Ring for Fall Arrest
- Universal Fit (Medium - Large)



Ironman™ Lite 802000-A

- Vest Style
- Polyester Webbing
- Tongue Buckle Leg Straps
- Single Dorsal D-Ring for Fall Arrest
- Hip D-Rings for Work Positioning
- Universal Fit (Medium - Large)

Ironman™ Lite 812000-A

- Construction Style
- Polyester Webbing
- Tongue Buckle Leg Straps
- Integrated Adjustable/Removable Waist Pad and Belt
- Single Dorsal D-Ring for Fall Arrest
- Side D-Rings for Work Positioning
- Universal Fit (Medium - Large)



D-Ring Extension

Ironman™ Lite harnesses with part numbers ending in 'AC' feature a permanently attached 18" dorsal D-ring extender. This feature provides the user with an easier method of connection to a deceleration device. In addition, the extender can be placed over the user's shoulder and adhered to the shoulder strap with hook-and-loop material when not in use. (Please Note: The additional length of a D-ring extender must be taken into consideration when calculating free-fall distance).



Reliance Ironman™ Lite Full Body Harnesses

| Part Number | Style | D-Rings | Chest Buckle | Leg Buckle | Web Material | Size/Other |
|-------------|--------------|------------------------------|---------------|---------------|--------------|---------------------------------|
| 800000-A | Vest | Back | Quick-Connect | Tongue Buckle | Polyester | Universal Fit |
| 801000-A | Vest | Back, Chest | Quick-Connect | Tongue Buckle | Polyester | Universal Fit |
| 802000-A | Vest | Back, Hip | Quick-Connect | Tongue Buckle | Polyester | Universal Fit |
| 803000-A | Vest | Back, Chest, Hip | Quick-Connect | Tongue Buckle | Polyester | Universal Fit |
| 804000-A | Vest | Back, Shoulder | Quick-Connect | Tongue Buckle | Polyester | Universal Fit |
| 809000-A | Derrick | Back, Side | Quick-Connect | Tongue Buckle | Polyester | Universal Fit |
| 812000-A | Construction | Back, Side | Quick-Connect | Tongue Buckle | Polyester | Universal Fit |
| 812040-A | Construction | Back, Side | Quick-Connect | Quick-Connect | Polyester | Universal Fit |
| 813000-A | Construction | Back, Chest, Side | Quick-Connect | Tongue Buckle | Polyester | Universal Fit |
| 815000-A | Construction | Back, Side, Suspension | Quick-Connect | Tongue Buckle | Polyester | Universal Fit / Suspension Seat |
| 816000-A | Derrick | Back, Chest, Hip, Shoulder | Quick-Connect | Tongue Buckle | Polyester | Universal Fit |
| 819000-A | Construction | Back, Hip | Quick-Connect | Tongue Buckle | Polyester | Universal Fit |
| 825000-A | Construction | Back, Chest, Hip, Suspension | Quick-Connect | Tongue Buckle | Polyester | Universal Fit / Suspension Seat |
| 800000-AC | Vest | Back | Quick-Connect | Tongue Buckle | Polyester | Universal Fit |
| 802000-AC | Vest | Back, Hip | Quick-Connect | Tongue Buckle | Polyester | Universal Fit |
| 812000-AC | Construction | Back, Side | Quick-Connect | Tongue Buckle | Polyester | Universal Fit / Sewn-In Belt |

*Note: Harnesses sized as follows: 8XX1XX = Small, 8XX4XX = X-Large, 8XX5XX = XXL, 8XX6XX = Big Boy
 Harnesses with part numbers ending in 'AC' feature a permanently attached 18" dorsal D-ring extender.



HIGHER STANDARDS IN PERSONAL FALL PROTECTION

Reliance Fall Protection

P.O. Box 2046

Deer Park TX 77536

Toll Free: (888) 362-2826

Phone: (281) 930-8000

Fax: (281) 476-5394

Email: RelSales@RelSafe.com



RelSafe.com